L Number	Hits	Search Text	DB	Time stamp
1	33675	(compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:47
2	1136	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj2 (compress$5 or compact$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:55
3	150	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj2 (compress$5 or compact$5)) and classif$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:31
4	4	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj2 (compress$5 or compact$5)) and classif$5) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:53
8	32	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj2 (compress$5 or compact$5)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:56
9	1999	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj2 (compress$5 or compact$5 or method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:56
10	21	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj (compress$5 or compact$5) adj method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:58
11	1	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (first and second$4) adj (compress$5 or compact$5) adj method) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:02
12	25	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (second$4) adj (compress$5 or compact$5) adj method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 12:59
13	32	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:06
14	11	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and classif$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:00
15	0	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and classif$5) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:04
16	2	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:16

17	91	(second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:07
18	99	(first) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:44
19	68	((second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and ((first) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:07
20	1	(((second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and ((first) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:36
21	27	(((second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and ((first) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus))) and (compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:35
22	2	((((second$4) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus)) and ((first) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus))) and (compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and classif$5 near2 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:32
23	1723	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:36
24	1237	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ti.) and ((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:36
25	8	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ti.) and ((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ab.) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:49
26	7	(((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ti.) and ((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)).ab.) and 707/$.ccls.) and (group or set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:48
27	118	(first and second) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:03
28	13	((first and second) adj (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus or unit)) and faster and higher	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:46
29	295	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and higher) with (compress$5 or compact$5 or decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:57

30	182	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and higher) with (compress$5 or compact$5 or decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (group or set or classif$6 or categor$6) near3 (data or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:00
31	4	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and higher) with (compress$5 or compact$5 or decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (group or set or classif$6 or categor$6) near3 (data or record)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:55
32	3	(((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and higher) with (compress$5 or compact$5 or decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (group or set or classif$6 or categor$6) near3 (data or record)) and 707/$.ccls.) and search$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:58
33	538	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and high$4) with (compress$5 or compact$5 or decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:58
34	46	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and high$4) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:02
35	18	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster and high$4) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:00
36	121	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:13
37	43	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:00
38	32	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5) and (group or set or classif$6 or categor$6) near3 (data or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:00
39	5	(((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5) and (group or set or classif$6 or categor$6) near3 (data or record)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:03
40	0	((((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5) and (group or set or classif$6 or categor$6) near3 (data or record)) and 707/$.ccls.) and (high$4 near2 rate) with (compress$5 or compact$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:02
41	991	((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (high$4 near2 rate) with (compress$5 or compact$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:03

42	12	(((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (high$4 near2 rate) with (compress$5 or compact$5)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:15
43	9	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (high$4 near2 rate) with (compress$5 or compact$5)) and 707/$.ccls.) and (compress$5 or compact$5) adj (method or means! or approach$4 or apparatus or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:06
44	10	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (high$4 near2 rate) with (compress$5 or compact$5)) and 707/$.ccls.) and (compress$5 or compact$5) adj3 (level or method or means! or approach$4 or apparatus or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:06
45	0	(((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (high$4 near2 rate) with (compress$5 or compact$5)) and 707/$.ccls.) and (compress$5 or compact$5) adj3 (level or method or means! or approach$4 or apparatus or unit)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:13
46	7	((((compress$5 or compact$5) and (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and (faster) with (compress$5 or compact$5) with (decompress$4 or de-compact$5 or decompact$5 or de-compress$5)) and search$5) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:15

L Number	Hits	Search Text	DB	Time stamp
1	2	4464650.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:19
2	2	4464650.pn. and compress$4 and decompress$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:22
3	32460	compress$4 and decompress$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:22
4	9277	(compress$4 and decompress$6) and (decod$4 and encod$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:23
5	3557	((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:23
6	1897	(((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6) and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:24
7	0	4464650.pn. and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:24
8	1	4464650.pn. and (set or group or classif$6 or catelog$6) with (data or record or attribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:24
9	116	(((((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6) and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:35
10	58	(((((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6) and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)) and 707/$.ccls.) and compress$6 near2 (level or method or means! or appratus or approach$4 or unit or program or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:28
11	0	((((((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6) and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)) and 707/$.ccls.) and compress$6 near2 (level or method or means! or appratus or approach$4 or unit or program or module)) and (first and second) near (cmproess$6 or encod$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:29
12	6	((((((compress$4 and decompress$6) and (decod$4 and encod$4)) and search$6) and (set or group or classif$6 or catelog$6) near2 (data or record or attribution)) and 707/$.ccls.) and compress$6 near2 (level or method or means! or appratus or approach$4 or unit or program or module)) and (first and second) near (compress$6 or encod$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:33

13	16546	(first and second) near (compress$6 or encod$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:33
14	379	((first and second) near (compress$6 or encod$5)) and (first near (compress$6 or encod$5)) with (compar$6 or match$6) with (second near (compress$6 or encod$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:38
15	6	(((first and second) near (compress$6 or encod$5)) and (first near (compress$6 or encod$5)) with (compar$6 or match$6) with (second near (compress$6 or encod$5))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:37
16	878	((first and second) near (compress$6 or encod$5)) and (first near (compress$6 or encod$5)) same (compar$6 or match$6) same (second near (compress$6 or encod$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:37
17	9	(((first and second) near (compress$6 or encod$5)) and (first near (compress$6 or encod$5)) same (compar$6 or match$6) same (second near (compress$6 or encod$5))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:38
18	407	((first and second) near (compress$6 or encod$5)) and (first adj2 (compress$6 or encod$5)) with (compar$6 or match$6) with (second adj2 (compress$6 or encod$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:38
19	8	(((first and second) near (compress$6 or encod$5)) and (first adj2 (compress$6 or encod$5)) with (compar$6 or match$6) with (second adj2 (compress$6 or encod$5))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:38